

L Number	Hits	Search Text	DB	Time stamp
19	4	("5337361" "5689626" "5859954" "6526155").PN.	USPAT	2004/08/18 10:48
20	2963	(358/1.9).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:26
21	110	(print\$5 adj2 driver\$5) same (confidential\$5 watermark\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:27
22	5	((358/1.9).ccls.) and ((print\$5 adj2 driver\$5) same (confidential\$5 watermark\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:28
-	4	((("5133919") or ("5689626")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 12:56
-	2	ep-942355-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:48
-	4	(print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5 adj2 operation\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:55
-	5	(print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 13:56
-	1	((print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5)) not ((print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5 adj2 operation\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:00
-	8	(print\$5 with (secret\$5 adj2 operation\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:01
-	1	1999-573559.NRAN. not ((print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5 adj2 operation\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:02
-	4	((print\$5 with (secret\$5 adj2 operation\$5))) not ((print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5 adj2 operation\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:04
-	4	(printer\$5 adj2 driver\$5) with (secret\$5 adj2 (operation\$5 option\$5 parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:05
-	4	(printer\$5 adj2 driver\$5) same (secret\$5 adj2 (operation\$5 option\$5 parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:06

-	0	((printer\$5 adj2 driver\$5) same (secret\$5 adj2 (operation\$5 option\$5 parameter\$5))) not ((print\$5 adj2 driver\$5) with (watermark\$5 confidential\$5) with (secret\$5 adj2 operation\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:06
-	10	(print\$6) same (secret\$5 adj2 (operation\$5 option\$5 parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:07
-	6	((print\$6) same (secret\$5 adj2 (operation\$5 option\$5 parameter\$5))) not ((printer\$5 adj2 driver\$5) same (secret\$5 adj2 (operation\$5 option\$5 parameter\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:13
-	4	("6424429").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:16
-	8	((("6,445,468") or ("6,149,323") or ("6,424,429"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:16
-	3	((("6,445,468") or ("6,149,323") or ("6,424,429"))).PN.	USPAT	2004/07/28 14:17
-	0	(print\$5 adj2 driver\$5) with ((confidential\$5 watermark\$5) adj2 (mark\$5 pattern\$5 stamp\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:19
-	70	(print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:33
-	24	(print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5) and secret\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:43
-	38	((print\$5 adj2 driver\$5) same (confidential\$5 watermark\$5)) not ((print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:43
-	10	((((print\$5 adj2 driver\$5) same (confidential\$5 watermark\$5)) not ((print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5))) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:49
-	5	(printer\$5 adj2 driver\$5) and (secret\$5 adj2 operation\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:55
-	8	(printer\$5 adj2 driver\$5) with (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 14:58
-	5	(print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5) same (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:40
-	3	(print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5) same (hid\$5 keep\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:10

-	3	(print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5) same (hold\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 15:30
-	2	("6125748").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:12
-	3	("5751923" "5809879" "5873659").PN.	USPAT	2004/08/17 10:52
-	2	(printer\$5 adj2 (driver\$5 dialog\$5 setting\$5)) with (confidential\$5 secret\$5) and (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:13
-	0	(printer\$5 adj2 (driver\$5 dialog\$5 setting\$5)) with (hold\$5) and (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:14
-	1	(printer\$5 adj2 (driver\$5 dialog\$5 setting\$5)) same (hold\$5 near\$5 secret\$5) and (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:14
-	1	(printer\$5 adj2 (driver\$5 dialog\$5 setting\$5)) same (hold\$5 near\$5 secret\$5) and (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:14
-	0	(printer\$5 adj2 (driver\$5 dialog\$5 setting\$5)) same (hold\$5 near\$5 confidential\$5) and (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:14
-	2	(printer\$5 adj2 (driver\$5 dialog\$5 setting\$5)) same (secret\$5) and (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:15
-	17	(printer\$5 adj2 driver\$5) with (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:15
-	2	(printer\$5 adj2 driver\$5) with (stencil\$5 adj2 printer\$5) and (secret\$5 adj2 operation\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:15
-	2	(printer\$5 adj2 driver\$5) with (stencil\$5 adj2 printer\$5) and (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:16
-	2	(print\$5 adj2 driver\$5) with (stencil\$5 adj2 printer\$5) and (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:16
-	2	(print\$5 adj2 driver\$5) same (stencil\$5 adj2 printer\$5) and (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:16
-	17	(print\$5 adj2 driver\$5) with (stencil\$5 adj2 printer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:19

-	21	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with ((secret\$5 confidential\$5 retain\$5) near4 data\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:42
-	2	("20020036790").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:42
-	4	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5 secret\$5 retain\$5) adj3 (operation\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:43
-	187	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5 retain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:44
-	17	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with (confidential\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:02
-	10	((("5,832,298") or ("5,758,110") or ("5,442,732") or ("6,182,039") or ("5,504,687"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:57
-	33	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:05
-	16	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5)) not ((print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with (confidential\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:02
-	3	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5)) not ((print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with (confidential\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:07
-	0	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) and (secret\$5 adj2 retain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:06
-	6	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) and (secret\$5 adj2 operation\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:07
-	0	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5 adj2 (retain\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:07
-	23	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:59
-	5	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (secret\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:13

-	21	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with (retention\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:13
-	2	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with (retention\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:55
-	12	(stencil\$5 with secret\$5) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:14
-	19	stencil\$5 with secret\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:41
-	5	stencil\$4 adj2 printer\$5 same secret\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:42
-	0	stencil\$4 adj2 printer\$5 and (secret\$5 adj2 setting\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:42
-	12	stencil\$4 adj2 printer\$5 and (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:42
-	7	(stencil\$4 adj2 printer\$5 and (secret\$5)) not (stencil\$4 adj2 printer\$5 same secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:44
-	2	"2000233559"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:46
-	17	(print\$5 adj2 driver\$5) with (confidential\$5 watermark\$5) same (stor\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:58
-	0	(transfer\$5 adj3 (print\$5 adj2 feature\$5)) with (print\$5 adj2 driver\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:59
-	3	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (confidential\$5 conceal\$5 hidden\$5) adj2 (setting\$5 operation\$5 attribut\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:01
-	1	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) with (featur\$5 same retain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:02
-	10	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5)) same (featur\$5 same retain\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:04

-	0	(print\$5 adj2 (attribut\$5)) with (secret\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:04
-	558	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with (prevent\$5 prohibit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:34
-	0	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with ((prevent\$5 prohibit\$5) adj2 (featur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:08
-	98	(user\$5 adj2 interfac\$5) with secret\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:06
-	3178	(user\$5 adj2 interfac\$5 display\$5) with secret\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:06
-	144	(user\$5 adj2 interfac\$5 display\$5) with secret\$5 same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:06
-	9	(user\$5 adj2 interfac\$5 display\$5) with secret\$5 same print\$5 same driver\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:08
-	32	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with (printer\$5 adj2 featur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:13
-	0	(incorporat\$5 adj4 (print\$5 adj2 featur\$5)) same (printer\$5 adj2 driver\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:13
-	0	(transfer\$5 with (printer\$5 adj2 featur\$5)) with driver\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:14
-	15	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with (printer\$5 adj2 featur\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:56
-	0	(replac\$5 adj2 printer\$5 adj2 featur\$5) same (printer\$5 adj2 driver\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:27
-	4	(printer\$5 adj2 driver\$5) with (printer\$5 adj2 featur\$5) same (transfer\$5 replac\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:34
-	0	(print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) and (confidential\$5 secret\$5) adj2 (settting\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:38

-	18	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) and (confidential\$5 secret\$5) adj2 (operation\$5 set\$5 attribut\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:40
-	3	"2002091742"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:41
-	2	"20020036790"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 17:54
-	44	((((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with (stencil\$5)) and @ad<20000224) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:04
-	44	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with (stencil\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:12
-	11	((print\$5 adj2 driver\$5) with (control\$5) same (stencil\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 13:27
-	1	((print\$5 adj2 driver\$5) with (control\$5) same (stencil\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:12
-	3	("5751923" "5809879" "5873659").PN.	USPAT	2004/08/17 18:08
-	4	6125748.URPN.	USPAT	2004/08/17 18:10
-	14	((print\$5 adj2 driver\$5) same (control\$5) same (stencil\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:12
-	2	((print\$5 adj2 driver\$5) same (control\$5) same (stencil\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:25
-	53	((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) same (stencil\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:14
-	9	((((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) same (stencil\$5)) and @ad<20000224) not ((print\$5 adj2 (driver\$5 setting\$5 dialog\$5 attribut\$5)) with (stencil\$5)) and @ad<20000224)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:13
-	0	((print\$5 adj2 driver\$5) with (control\$5) adj2 (printer\$5 adj2 featur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:15
-	5	((print\$5 adj2 driver\$5) with (control\$5) with (printer\$5 adj2 featur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:24

-	8	(print\$5 adj2 driver\$5) with (control\$5 with (printer\$5 adj2 capabilit\$5\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:23
-	2	"11065780"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:23
-	1	(print\$5 adj2 driver\$5) with (command\$5 with (printer\$5 adj2 featur\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:25
-	7	(print\$5 adj2 driver\$5) same command\$5 same (printer\$5 adj2 featur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:26
-	3	((print\$5 adj2 driver\$5) same command\$5 same (printer\$5 adj2 featur\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:26
-	13	(print\$5 adj2 driver\$5) same control\$5 same (printer\$5 adj2 featur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:26
-	6	((print\$5 adj2 driver\$5) same control\$5 same (printer\$5 adj2 featur\$5)) and @ad<20000224	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 18:26